



FRONT VIEW



GARDEN TYPE SPEAKER PSX-930T

Description

The Surface mount/Garden speaker **PSX-930T** is a versatile **6.5" PP Cone LF speaker and 1" HF speaker** engineered for reliable high-quality audio performance in commercial, residential, and outdoor environments. Designed with an **IP66-rated** weatherproof enclosure, the **PSX-930T** delivers dependable operation in challenging conditions including rain, humidity, dust, and outdoor exposure.

Equipped with a **6.5"-inch full-range driver** and **30W-45W** power handling capability, the speaker provides clear vocal reproduction, balanced music playback, and wide-area sound coverage suitable for patios, gardens, cafés, restaurants, retail spaces, resorts, and public installations.

The **PSX-930T** includes installation kit, allowing flexible deployment across a wide range of architectural and landscape audio applications. Its durable enclosure construction and weather-resistant design make it ideal for long-term outdoor installations while maintaining consistent audio performance.

Ideal for Gardens, Hotels, Farm Houses, Theme Parks, Lawns of Religious Places, Residential Areas, Historical Monuments. the **PSX-930T** combines installation versatility, environmental durability, and reliable sound reproduction in a compact professional speaker solution.

Key Features

- 6.5" inch full-range speaker driver
- Upto 45W power handling
- Outdoor installation capability
- IP66 waterproof and dustproof rating
- Weather-resistant enclosure construction
- Mounting kit included
- Suitable for Gardens, Hotels, Farm Houses, Theme Parks, Lawns of Religious Places, Residential Areas, Historical Monuments



GARDEN TYPE SPEAKER

PSX-930T

SPECIFICATIONS

- Model: **PSX-930T**
- Tweeter: 1" (25mm) silk soft dome
- Woofer: 6.5" (165mm)
- Configuration: Two-way
- Frequency Range +/-3 Power: 70Hz-20kHz
- RMS: 30W / 45W MAX.
- SPL at 1kHz (1W/1m)- 95dB
- Power Taps on 100 V 8Ω, 30/15/7.5W
- Impedance: 8 ohms
- Termination: Pluggable terminal block
- Certifications: IP66 waterproof speaker
- Dimensions: W330 x H552 mm × D270 mm
- Weight: 3.5 Kgs